

A close-up photograph of a BaerCoil thread repair kit. The kit is organized in a black plastic tray with several compartments. The compartments contain various tools: a large drill bit with a double-flute design, several taps of different sizes, and a set of dies. The tools are made of metal and have black handles. The background is dark, making the tools stand out.

**BaerCoil®**

Gewindereparatur-Sortimente

## BaerCoil® Gewindereparatur-Sortimente

Kernlochbohrer HSS

Gewindebohrer HSSG für Gewindeeinsätze

Einbauwerkzeug

Zapfenbrecher

Gewindeeinsätze - Typ: „frei durchlaufend“ - Längen: **1,5 D - 2,5 D**  
passende Längen für die meisten Anwendungen

Gebrauchsanweisung



### M 3 - M 12

				1,5 D	2,5 D	No.	€
M 3 x 0,5	EBW03	BZ003	3,2 mm	10	5	B5101	154,20
M 4 x 0,7	EBW04	BZ004	4,2 mm	10	5		
M 5 x 0,8	EBW05	BZ005	5,2 mm	10	5		
M 6 x 1,0	EBW06	BZ006	6,3 mm	10	5		
M 8 x 1,25	EBW08	BZ008	8,3 mm	10	5		
M 10 x 1,5	EBW10	BZ010	10,4 mm	5	5		
M 12 x 1,75	EBW12	BZ012	12,4 mm	5	5		

### M 5 - M 12

				1,5 D	2,5 D	No.	€
M 5 x 0,8	EBW05	BZ005	5,2 mm	10	5	B5104	117,50
M 6 x 1,0	EBW06	BZ006	6,3 mm	10	5		
M 8 x 1,25	EBW08	BZ008	8,3 mm	10	5		
M 10 x 1,5	EBW10	BZ010	10,4 mm	5	5		
M 12 x 1,75	EBW12	BZ012	12,4 mm	5	5		

### M 5 - M 8

				1,5 D	2,5 D	No.	€
M 5 x 0,8	EBW05	BZ005	5,2 mm	10	5	B5131	82,70
M 6 x 1,0	EBW06	BZ006	6,3 mm	10	5		
M 8 x 1,25	EBW08	BZ008	8,3 mm	10	5		

### M 6 - M 10

				1,5 D	2,5 D	No.	€
M 6 x 1,0	EBW06	BZ006	6,3 mm	10	5	B5130	93,10
M 8 x 1,25	EBW08	BZ008	8,3 mm	10	5		
M 10 x 1,5	EBW10	BZ010	10,4 mm	5	5		





## BaerCoil® Gewindereparatur-Sortimente

Kernlochbohrer HSS  
 Gewindebohrer HSSG für Gewindeeinsätze  
 Einbauwerkzeug  
 Zapfenbrecher  
 Gewindeeinsätze - Typ: „frei durchlaufend“ - Längen: 1,5 D  
 Gebrauchsanweisung





### UNC 1/4 - 1/2“



				1,5 D	No.	€
UNC 1/4 x 20	EBW06	BZ006	6,7 mm	25	B5120	157,00
UNC 5/16 x 18	EBW07	BZ008	8,3 mm	25		
UNC 3/8 x 16	EBW08	BZ008	9,9 mm	25		
UNC 7/16 x 14	EBW10	BZ010	11,6 mm	10		
UNC 1/2 x 13	EBW12	BZ012	13,0 mm	10		

### UNF 1/4 - 1/2“



				1,5 D	No.	€
UNF 1/4 x 28	EBW06	BZ006	6,6 mm	25	B5121	157,00
UNF 5/16 x 24	EBW07	BZ008	8,3 mm	25		
UNF 3/8 x 24	EBW08	BZ008	9,9 mm	25		
UNF 7/16 x 20	EBW10	BZ010	11,5 mm	10		
UNF 1/2 x 20	EBW12	BZ012	13,0 mm	10		

### BSW 1/4 - 1/2“

				1,5 D	No.	€
BSW 1/4 x 20	EBW06	BZ006	6,7 mm	25	B5122	157,00
BSW 5/16 x 18	EBW07	BZ008	8,3 mm	25		
BSW 3/8 x 16	EBW08	BZ008	9,9 mm	25		
BSW 7/16 x 14	EBW10	BZ010	11,6 mm	10		
BSW 1/2 x 12	EBW12	BZ012	13,0 mm	10		

### BSF 1/4 - 1/2“

				1,5 D	No.	€
BSF 1/4 x 26	EBW06	BZ006	6,6 mm	25	B5123	157,00
BSF 5/16 x 22	EBW07	BZ008	8,3 mm	25		
BSF 3/8 x 20	EBW08	BZ008	9,9 mm	25		
BSF 7/16 x 18	EBW10	BZ010	11,5 mm	10		
BSF 1/2 x 16	EBW12	BZ012	13,0 mm	10		

## BaerCoil® Gewindereparatur-Sortimente

Kernlochbohrer HSS  
 Gewindebohrer HSSG für Gewindeeinsätze  
 Einbauwerkzeug  
 Zapfenbrecher  
 Gewindeeinsätze - Typ: „frei durchlaufend“ - Längen: 1,5 D  
 Gebrauchsanweisung



### G (BSP) Britisches Whitworth Rohrgewinde DIN ISO 228 (Wasserrohrgewinde)

					1,5 D	No.	€
G (BSP) 1/8 x 28	EBW10	BZ010	10,0 mm	5	B5124	240,00	
G (BSP) 1/4 x 19	EBW12	BZ012	13,5 mm	5			
G (BSP) 3/8 x 19	EBW14		17,0 mm	5			
G (BSP) 1/2 x 14	EBW22			5			

Bitte beachten Sie:  
 Der Außendurchmesser von 1" Zoll Rohrgewinde ist 33,25 mm (nicht 25,4 mm)!

Die Länge des Gewindeeinsatzes wird allerdings mit dem Wert 25,4 mm berechnet:

z.B.: Länge 1,5 D bei G 1/4 x 19:  
 1/4 x 25,4 mm x 1,5 = 9,525 mm

### BA Britisch Association Standard Gewinde BS 93

					1,5 D	No.	€
BA 0	EBW06	BZ006	6,2 mm	5	B5125	253,00	
BA 2	EBW05	BZ005	4,9 mm	5			
BA 4	EBW03	BZ003	3,8 mm	5			
BA 6	EBW02	BZ002	2,9 mm	5			

Lieferzeit: 1 - 3 Wochen

### NPT Amerikanisches kegeliges Rohrgewinde ANSI B 1.20.1

					1,5 D	No.	€
NPT 1/8 x 27	EBW10	5	B5126	418,00			
NPT 1/4 x 19	EBW14	5					
NPT 3/8 x 18	EBW14	5					
NPT 1/2 x 14	EBW22	5					

Lieferzeit: 1 - 3 Wochen